Intergerence Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(((retriev\$4 with document) with reference\$2 with insert\$4) and ((storage database) with formula with reference with insert\$4) and (extract\$4 near4 formula) and (deriv\$4 with value with reference) and (creat\$4 with document with reference with insert\$4 with separat\$4) and (defin\$4 with formula with resolv\$4 with reference)).CLM.	US-PGPUB	OR	ON	2006/06/06 13:14
L2	0	(((retriev\$4 with document) with reference\$2 with insert\$4) and ((storage database) with formula with reference with insert\$4) and (extract\$4 near4 formula) and (deriv\$4 with value with reference) and (creat\$4 with document with reference with insert\$4 with separat\$4) and (document with insert\$4 with (point location))).CLM.	US-PGPUB	OR	ON	2006/06/06 13:14
L3	0	(((retriev\$4 with document) with reference\$2 with insert\$4) and ((storage database) with formula with reference with insert\$4) and (extract\$4 near4 formula) and (deriv\$4 with value with reference) and (creat\$4 with document with reference with insert\$4 with separat\$4) and (document with (point location) with background\$2)).CLM.	US-PGPUB	OR	ON	2006/06/06 13:15
L4	0	(((retriev\$4 with document) with reference\$2 with insert\$4) and ((storage database) with formula with reference with insert\$4) and (extract\$4 near4 formula) and (deriv\$4 with value with reference) and (creat\$4 with document with reference with insert\$4 with separat\$4) and (formula with continuou\$4)).CLM.	US-PGPUB	OR	ON	2006/06/06 13:16
L5	0	(((retriev\$4 with document) with reference\$2 with insert\$4) and ((storage database) with formula with reference with insert\$4) and (extract\$4 near4 formula) and (deriv\$4 with value with reference) and (creat\$4 with document with reference with insert\$4 with separat\$4) and (image picture draw\$4)).CLM.	US-PGPUB	OR	ON	2006/06/06 13:16

EAST Search History

L6	0	(((retriev\$4 with document) with reference\$2 with insert\$4) and ((storage database) with formula with reference with insert\$4) and (extract\$4 near4 formula) and (deriv\$4 with value with reference)	US-PGPUB	OR	ON	2006/06/06 13:17
		and (creat\$4 with document with reference with insert\$4 with separat\$4) and (modif\$7)).CLM.				
L7	0	(((retriev\$4 same document) same reference\$2 same insert\$4) and ((storage database) same formula same reference same insert\$4) and (extract\$4 near4 formula) and (deriv\$4 same value same reference) and (creat\$4 same document same reference same insert\$4 same separat\$4) and (modif\$7)).CLM.	US-PGPUB	OR	ON	2006/06/06 13:18
L8	0	(retriev\$4 and document and reference and insert\$4 and (storage\$4 database) and content\$2 and shared and (client user) and extract\$4 and formula and deriv\$4 and value and (location point) and resolv\$4).CLM.	US-PGPUB	OR	ON	2006/06/06 13:21
L9	0	((resolv\$4 same reference same insert\$4 same document) and (stor\$4 same insert\$4 same reference\$2) and (retriev\$4) and extract\$4 and (location point) and modif\$7).CLM.	US-PGPUB	OR	ON	2006/06/06 13:23

6/6/06 1:23:51 PM
C:\Documents and Settings\CNguyen13\My Documents\EAST\workspaces\09450558.wsp

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L33	1	32 and (resolv\$4 with formula)	US-PGPUB	OR	ON	2006/06/06 13:37
L32	280	(retriev\$4 with (document file data) with referenc\$4) and (link\$2 hyperlink\$2) and (background with (document file data))	US-PGPUB	OR	ON	2006/06/06 13:37
L31	7	(retriev\$4 with (document file data) with referenc\$4) and (formula with continuous\$4) and (modif\$4 updat\$4)	US-PGPUB	OR	ON	2006/06/06 13:36
L30	6	(retriev\$4 with (document file data) with referenc\$4) and (formula with continuous\$4) and modif\$4	US-PGPUB	OR	ON	2006/06/06 13:36
L29	7	(retriev\$4 with (document file data) with referenc\$4) and (formula with continuous\$4)	US-PGPUB	OR	ON	2006/06/06 13:36
L28	2	(retriev\$4 with (document file data) with referenc\$4) and (formula with resolv\$4 with reference)	US-PGPUB	OR	ON	2006/06/06 13:36
L14	3908	(retriev\$4 with (document file data) with referenc\$4)	US-PGPUB	OR	ON	2006/06/06 13:35
L27	45	25 and ((location point) with insert\$4)	US-PGPUB	OR	ON	2006/06/06 13:34
L26	73	25 and (location point)	US-PGPUB	OR	ON	2006/06/06 13:34
L25	76	(retriev\$4 with (document file data) with referenc\$4) and (insert\$4) and (extract\$4 and formula) and resolv\$4	US-PGPUB	OR	ON	2006/06/06 13:33
L22	2	(retriev\$4 with (document file data) with referenc\$4) and (insert\$4) and (extract\$4 with formula)	US-PGPUB	OR	ON	2006/06/06 13:33
L24	100	23 and michael	US-PGPUB	OR	ON	2006/06/06 13:32
L23	781	carroll.inv.	US-PGPUB	OR	ON	2006/06/06 13:32
L21	25	20 and (creat\$4 with (document file data))	US-PGPUB	OR	ON	2006/06/06 13:30
L20	54	19 and resolv\$4	US-PGPUB	OR	ON	2006/06/06 13:30
L19	126	18 and insert\$4	US-PGPUB	OR	ON	2006/06/06 13:29
L18	126	17 and (deriv\$4)	US-PGPUB	OR	ON	2006/06/06 13:29
L17	144	16 and (extract\$4 and formula)	US-PGPUB	OR	ON	2006/06/06 13:29
L16	894	14 and (insert\$4 with (document file data))	US-PGPUB	OR	ON	2006/06/06 13:29
L15	0	13 and (insert\$4 with (document file data))	US-PGPUB	OR	ON	2006/06/06 13:29
L12	359	715/736,753,771,778.ccls.	US-PGPUB	OR	ON	2006/06/06 13:27

EAST Search History

L11	836	((continuous\$2 automatic\$4 dynamical\$4 period\$6) with (updat\$3 refresh\$3 resolv\$4 reload\$4) with ((web\$6 html) near5 (page document file)))	US-PGPUB	OR	ON	2006/06/06 13:27
L10	1902	715/513,515,530,538,540.ccls.	US-PGPUB	OR	ON	2006/06/06 13:25
L9	0	((resolv\$4 same reference same insert\$4 same document) and (stor\$4 same insert\$4 same reference\$2) and (retriev\$4) and extract\$4 and (location point) and modif\$7).CLM.	US-PGPUB	OR	ON	2006/06/06 13:24
L8	0	(retriev\$4 and document and reference and insert\$4 and (storage\$4 database) and content\$2 and shared and (client user) and extract\$4 and formula and deriv\$4 and value and (location point) and resolv\$4).CLM.	US-PGPUB	OR	ON	2006/06/06 13:21
L7	0	(((retriev\$4 same document) same reference\$2 same insert\$4) and ((storage database) same formula same reference same insert\$4) and (extract\$4 near4 formula) and (deriv\$4 same value same reference) and (creat\$4 same document same reference same insert\$4 same separat\$4) and (modif\$7)).CLM.	US-PGPUB	OR	ON	2006/06/06 13:18
L6	0	(((retriev\$4 with document) with reference\$2 with insert\$4) and ((storage database) with formula with reference with insert\$4) and (extract\$4 near4 formula) and (deriv\$4 with value with reference) and (creat\$4 with document with reference with insert\$4 with separat\$4) and (modif\$7)).CLM.	US-PGPUB	OR	ON	2006/06/06 13:17
L5	0	(((retriev\$4 with document) with reference\$2 with insert\$4) and ((storage database) with formula with reference with insert\$4) and (extract\$4 near4 formula) and (deriv\$4 with value with reference) and (creat\$4 with document with reference with insert\$4 with separat\$4) and (image picture draw\$4)).CLM.	US-PGPUB	OR	ON	2006/06/06 13:16



Home | Login | Logout | Access Information | Alt

Welcome United States Patent and Trademark Office

≨⊠⊈Search Session History

BROWSE

SEARCH

HEEE XPLORE GUIDE

Tue, 6 Jun 2006, 1:45:54 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display					
			•		

Recent Search Queries

<u>#1</u>	((document or file data <in>metadata) <and> (insert <in>metadata))<and> (formula resolution<in>metadata)</in></and></in></and></in>
#2	((document or file or data <in>metadata) <and> (insert<in>metadata))<and> (reference<in>metadata)</in></and></in></and></in>
#3 .	((extract formula <in>metadata) <and> (document or data or file<in>metadata))</in></and></in>
<u>#4</u>	((extract <in>metadata) <and> (formula<in>metadata))<and> (insert<in>metadata)</in></and></in></and></in>
#5	((insert reference <in>metadata) <and> (document or file or data<in>metadata))</in></and></in>
#6	((reference document <in>metadata) <and> (insert<in>metadata))</in></and></in>
# 7.	((create or creating <in>metadata) <and> (document or file or data<in>metadata))<and> (reference or insert<in>metadata)</in></and></in></and></in>
#8	((create document <in>metadata) <and> (insert<in>metadata))<and> (reference<in>metadata)</in></and></in></and></in>
<u>#9</u>	((extract <in>metadata) <and> (formula<in>metadata))<and> (insert<in>metadata)</in></and></in></and></in>
#10	((insert document <in>metadata) <and> (reference<in>metadata))</in></and></in>

indexed by

Help Contact Us Privac

© Copyright 2006 IE